



defalin zwiąże najpewniej



ECHNICAL TWINES AND ROPES



Technical Products

Rich offer of the DEFALIN products contains various types of Cords,

Long-lasting experience along with use of the most modern production lines have resulted in building extremely wide offer of such products, made from the highest quality raw material. They can be used in many fields, both as final products meant for the end-users and as half-finished products. Application of proper production technologies and conditioning of the products, are meant to satisfy needs of individual customers and to offer the goods dedicated to households.

- Cords, twines and ropes to be used in household, industry and agriculture
- Ropes for binding firewood
- Ropes for electric fence

-			The same of		200 2 AT	Water Million	
	Diame- ter	Number of me- ters per coil	Unit mass	Coil weight	Breaking	Coil size [Øxh]	Tube size [Øxh]
	mm	m	g/m	kg	kG	mm	mm
PP Cords	3	300	5,0	1,50	169	200 x 145	50 x 145
	3	500	5,0	2,50	169	200 x 145	50 x 145
	3,5	300	6,5	1,94	218	220 x 145	50 x 145
	4	270	8,0	2,16	270	225 x 145	50 x 145
	4	600	8,0	4,80	270	300 x 195	-
PP Cords	5	550	11,0	6,05	406	320 x 220	1-1
	6	220	17,0	3,74	575	260 x 210	-
	8	220	30,0	6,60	1015	300 x 225	-
	8	500	30,0	15,00	1015	360 x 325	+
PP Ropes	10	220	45,0	9,90	1523	350 x 270	-
	12	220	65,0	14,30	2200	395 x 280	
	14	220	90,0	19,80	3045	420 x 320	-
	14	500	90,0	45,00	3045	580 x 400	AMM
	16	110	115,0	12,65	3892	370 x 300	1-/
	16	220	115,0	25,30	3892	440×350	
	16	500	115,0	57,50	3892	560 x 440	
Ropes for electric fence							
Electric fence	5	300	15,0	4,50	507		270 x 190
11/10/20							
	Size of strand	Number of me- ters per coil	Unit mass	Coil weight	Breaking	Coil size [Øxh]	
	pc.	m	g/m	kg	kG	mm	
PP rope packing	12	110	36,0	3,96	1250	235 x 270	





Made of polyprophylene, they are used in the leather, furniture and even food industries. The appropriate conditioning allows for easy and convenient use of these strings in household.

PP Twines 5-8 mm

Those twines are used to fasten and pack various goods. The use of cones made possible the application of twines in baling machines (waste, waste-paper).

PP Ropes 10-16

3-strand twisted ropes fulfil many functions in agriculture and gardening, in building industry and in transportation. Confectioning applied to these products allows for their effective use in household environment.

Electric fence is a polyprophylene 3-strand twisted rope. Each strand contains copper tinned wire of adequate diameter which guarantees perfect conductivity. Properly chosen colouring of the cord helps animals to easily catch sight of the fence.

ADVANTAGES OF THE PRODUCT:

- proper elongation capability which allows for avoiding breakages even in case of considerably strong tension of the cord
- polyprophylene ropes are substantially durable since they undergo very limited degradation caused by the environment factors

SPECIFICATION

Notice: Right choice of energizer and accessories is the condition of proper performance of the electric fence.

PP rope for wood packing

One of the methods used for packing firewood is binding it with the PP rope. 12-strand rope is especially designed for this purpose. Its loose soft weave made of hemogeneous material guarantees sure and effective binding as well as high break tenacity.



defalin zwiąże najpewniej

P.P.H.U. "Defalin" Group S.A.

ul. Towarowa 16 58-160 Świebodzice, Poland

Sales Department:

tel.: +48 74 854 99 28

fax +48 74 854 99 29

e-mail: dh@defalin.com.pl

tel.: +48 74 854 99 81

fax +48 74 854 99 29

e-mail: dhws6@defalin.com.pl

Join our community and be supplied with Defalin's news



facebook.com/DefalinGroup



twitter.com/**DEFALINGROUP**

www.defalin.com.pl

This brochure is meant to only give a general description and information. It may be changed and is neither a commercial offer, nor a description of actual state, and is not a guarantee issued or suggested by Defalin Group S.A. Before taking decision of purchase of any goods on the basis of this brochure, it is necessary to contact directly the sales Department of Defalin so that its relevance with regards to particular items of interest can be confirmed. Defalin reserve the right to change specification of materials and description of products in any time and without warning as well as to cease offering a particular version of product. Due to constant development of the offered products as well as other production factors and norms, the currently available kinds of products materials and specifications may differ from the ones as presented in this brochure.

